

# Block-O

## Ficha Técnica

Concreto Celular Autoclaveado

Información							
Espesor	Orificio		Peso por Pieza <sup>1</sup>		Pallet (Tarima)		
	Diám (∅)	Vol	AAC-4	AAC-6	Pzas.	M <sup>2</sup>	M <sup>3</sup>
cm	cm	m <sup>3</sup> /ml	Kg/pza	Kg/pza			
12.5	7	0.0038	9.15	10.98	144	17.57	2.20
15.0	9	0.0064	10.98	13.18	120	14.64	2.20
17.5	9	0.0064	12.81	15.37	96	11.71	2.05
20.0	11	0.0095	14.64	17.57	84	10.25	2.05
25.0	11	0.0095	18.30	21.96	72	8.78	2.20
30.0	11	0.0095	21.96	26.35	60	7.32	2.20

<sup>1</sup>Basado en Peso de Diseño [No se deduce orificio].



**Longitud:** 61.0 cm

**Peralte:** 20.0 cm

**Clase AAC-4:**

Resistencia a la compresión = 40.8 kg/cm<sup>2</sup>  
Peso de Diseño = 600 kg/m<sup>3</sup>

**Clase AAC-6:**

Resistencia a la compresión = 61.2 kg/cm<sup>2</sup>  
Peso de Diseño = 720 kg/m<sup>3</sup>

