

Block-U

Ficha Técnica

Concreto Celular Autoclaveado

Información							
Espesor	Canal		Peso por Pieza ¹		Pallet (Tarima)		
	b	Vol	AAC-4	AAC-6			
cm	cm	m ³ /ml	Kg/pza	Kg/pza	Pzas.	ml	m ³
12.5	5.0	0.0073	6.50	7.80	54	32.94	0.82
15.0	7.5	0.0109	7.00	8.40	48	29.28	0.88
17.5	9.0	0.0131	8.03	9.64	60	36.60	1.28
20.0	11.5	0.0167	8.54	10.24	36	21.96	0.88
25.0	15.5	0.0225	10.07	12.09	28	17.08	0.85
30.0	18.0	0.0261	12.41	14.89	24	14.64	0.88

¹Basado en Peso de Diseño [Se deduce volumen de canal].



Longitud: 61.0 cm

Peralte: 20.0 cm

Clase AAC-4:

Resistencia a la compresión = 40.8 kg/cm²
Peso de Diseño = 600 kg/m³

Clase AAC-6:

Resistencia a la compresión = 61.2 kg/cm²
Peso de Diseño = 720 kg/m³

