


Block Jumbo

Ficha Técnica

Concreto Celular Autoclaveado

Información							
Espesor	Peso de Diseño		Peso por Pieza ¹		Pallet (Tarima)		
	AAC-4	AAC-6	AAC-4	AAC-6	Pzas.	M ²	M ³
cm	Kg/m ²	Kg/m ²	Kg/pza	Kg/pza			
12.5	75	90	45.75	54.90	24	14.64	1.83
15.0	90	108	54.90	65.88	20	12.20	1.83
17.5	105	126	64.05	76.86	16	9.76	1.71
20.0	120	144	73.20	87.84	14	8.54	1.71
25.0	150	180	91.50	109.80	12	7.32	1.83
30.0	180	216	109.80	131.76	10	6.10	1.83

¹Basado en Peso de Diseño.



Longitud: 100.0 cm
Peralte: 61.0 cm

Clase AAC-4:
Resistencia a la compresión = 40.8 kg/cm²
Peso de Diseño = 600 kg/m³

Clase AAC-6:
Resistencia a la compresión = 61.2 kg/cm²
Peso de Diseño = 720 kg/m³

