

Block Semi-Jumbo

Ficha Técnica

Concreto Celular Autoclaveado

Información							
Espesor	Peso de Diseño		Peso por Pieza ¹		Pallet (Tarima)		
	AAC-4	AAC-6	AAC-4	AAC-6	Pzas.	M ²	M ³
cm	Kg/m ²	Kg/m ²	Kg/pza	Kg/pza			
10.0	60	72	14.64	17.57	90	21.96	2.20
12.5	75	90	18.30	21.96	72	17.57	2.20
15.0	90	108	21.96	26.35	60	14.64	2.20
17.5	105	126	25.62	30.74	48	11.71	2.05
20.0	120	144	29.28	35.14	42	10.25	2.05
25.0	150	180	36.60	43.92	36	8.78	2.20
30.0	180	216	43.92	52.70	30	7.32	2.20

¹Basado en Peso de Diseño.



Longitud: 61.0 cm
Peralte: 40.0 cm

Clase AAC-4:
Resistencia a la compresión = 40.8 kg/cm²
Peso de Diseño = 600 kg/m³

Clase AAC-6:
Resistencia a la compresión = 61.2 kg/cm²
Peso de Diseño = 720 kg/m³

